

Airless Paint Sprayer

# FSG 8.3 with piston pump



**V.E.P.** BAUMASCHINEN GMBH

Fedor-Schnorr-Straße 23  
08523 Plauen

info@vep-baumaschinen.de  
www.v-e-p.net

# Everything at a glance!

The **FSG 8.3** airless paint spraying system with a piston pump has been specially professional use in new construction, for major renovation work or even for medium-sized objects.

A high delivery rate is achieved when the use of highly viscous or filled coating materials. Thus, an optimal technical result can be guaranteed.

With the FSG 8.3 airless paint sprayer, a delivery rate of up to 8.8 liters/min is achieved thanks to the massive piston pump. This makes it possible to work effortlessly with longer hoses or larger nozzles of up to 0.045".

## Basic equipment

- Nozzle set
- Spray gun
- Maintenance kit
- High pressure hoses

## Technical data

Maximum delivery pressure:	227 bar
Maximum delivery rate:	8,8 Liter/ min
Maximum nozzle size:	0,045"
Voltage:	220 - 250 V ~ 50/60 Hz
Power:	4,8 kW

## Weight

Machine:	68 kg
----------	-------

LED-Display with automatic pressure control for an even spray pattern.

## Materials

- Airless spraying filler (sprayable, premixed putty and similar high-viscosity coating materials)
- Roof coating
- Fire protection coating
- Dispersion and latex paints for exterior facades and interior walls
- Silicate paints
- Lime paints
- Primers, undercoats, base coats, fillers, rust protection paints
- Wood preservatives
- Oils
- Stains
- Disinfectants

